



Linxon combines AtkinsRéalis' project management expertise and Hitachi Energy's industry leading technological knowledge into a company dedicated to substations.



Conventional generation

- Cricket Valley 345 kV **GIS** Substation
- Hummel Energy Station 500 kV
- Hinkley Point C
- Rumailah fast-track extension 400/132 kV
- Tanajib cogeneration 380 kV BSP switching station
- Bismayah 3,000 MW CCPP
- Rumailah 3,000 MW CCPP
- Al Fadhili 380/115 kV Gas Plant
- Dohuk 1,000 MW GPS
- 10. Khormala 640 MW GPS
- Akola, Koradi, Tiroda 765 kV
- Rabigh IPP 380 kV GIS substation
- Doha substations Phase VI 132/11 kV GIS substations
- 14. Al Dahma 220 kV Extension

Utilities

- 15. Morristown 230 kV/34.5 kV
- 16. Glenbrook AIS Substation
- Rio Oso 230 kV and 115 kV
- 18. Embarcadero
- 19. Potrero 230 kV & 115 kV switchyard
- 20. 69 kV GIS urban substation
- 21. Waterfront 230 kV
- 22. Naval Base Elevated GIS substation
- 23. TVA Hiwassee 500 kV GIS and Expansion
- 24. Ontario Hearn Substation
- 25. Degerträsk 400 kV AIS substation
- 26. Messaure 400 kV AIS substation
- 27. Hagby 400 kV, 220 kV and 132
- SSEN AIS and GIS substation 28. framework agreement, 132 - 400 kV
- 29. ESB substation framework agreement
- 30. London Power Tunnel, 400/132 kV, UK with EconiQ™ 420 kV GIS
- 31. Värtan 220/110 kV GIS

- 32. Bühl, 380 kV substation
- 33. Gullarängen/Nynäshamn 130 kV substations
- 34. Ringhals 400 kV AIS
- 35. Grundfors 400 kV
- 36. Hall 400 kV substation
- 37. Shurton
- 38. Burwell extension project, 400 kV mechanical switched capacitors
- 39. 400 kV AIS substation for the British-Danish Viking Link
- 40. Skanstull 400 kV
- Barkarby 130 kV GIS
- 42. St. John's Wood SGT Replacement
- 43. Sege 400 kV AIS
- 44. Djuptjärn/Högnäs 400 kV AIS
- 45. Upgrade of 380 kV hybrid switchgear
- 46. Thuwal and Khulais 380 kV **BSP** expansion
- 47. Blackzone Transformer replacement project
- 48. Expansion of Al Mursalat (9012) 380/132 kV BSP
- 49. Al Badr Expansion (9013) & Installation of Reactors @ Nafal 9008 & PP-7 (9007)
- 50. Refurbishment of Qatif 230 kV Substation
- 51. Rabigh 2 expansion of 380 kV GIS & installation of reactors @ MKH & JNE
- Ghazal 230 kV GIS substation and associated remote end modification
- 53. Abraj 132/11 kV substation, Dubai
- 54. Sanad 132/11 kV substation, Dubai
- 55. 12NT 132/33 kV two AIS substations
- 56. 14NT 132/33 kV three GIS substations
- 57. Central Irag 4 x 132/33 kV GIS, Jica lot 2
- 58. Baghdad North, 400 kV
- 59. 2012 2016 Transmission Project Phase 1
- 60. Sahel Al Zallaq, 220 kV GIS
- 61. Amazon Askar
- 62. Green Hills 132 kV

- 63. Rabwah 132 kV
- 64. 2007 2011 Transmission Project
- 65. Makkah Central 380/110 kV GIS Station
- 66. Najibiyah 400/132 kV GIS Station
- 67. Diyala 400 kV Extension
- 68. King Abdulah 380 kV GIS substation
- 69. Namerah North 380 kV GIS substations
- 70. Transmission grid expansion -Phase VII, 400 kV GIS substations
- 71. Gulf Interconnection Phase I
- 72. Quarayya 380 kV GIS substations
- Amara 400/132 kV Substation
- 74. Erbil Stage 6 Package 18 KRG-MOE-ES06b-2011
- 75. Amara Extension 400/ 132 kV Substation
- 76. Al Rayyan village underground substations
- Fujairah 400/132 kV GIS Station
- 78. Extension of 765/400/220 kV Raipur SS
- 79. WBSETCL 220/132 GIS/AIS
- 80. Dhalkebar, Nepal 400 kV GIS
- 400/220/132 kV substation at Saharsa
- 82. Ajmer Phagi 765 kV
- 83. Substation package, SS-22
- 84. Substation package, SS-27
- 85. Bhiwani substation and Bhadla substation, 765/400 kV
- 86. Champa 765 kV
- 87. Agra 765 kV
- 88. Srinagar 400 kV
- 89. Navsari 400 kV
- 90. Bilaspur 765 kV





- 91. Vineyard Offshore 220/115 kV substation
- 92. Maritime Link AC substations for the Emera 500 MW HVDC Connection Project
- 93. Seagreen 1 (1075 MW) Offshore
 Wind Farm substation package
- 94. Storfinnforsen, 130 kV and 400 kV AIS
- 95. Rampion Offshore Windfarm
- 96. Pen-y-Cymoedd Onshore Windfarm
- 97. Shams 400 kV Substation
- 98. Banaskantha 765 kV Sankhari – 400 kV
- 99. Mohammed Bin Rashid Solar Park Main & Extension -400 kV Substation
- 100. CPSU I & II, Air Insulated Substation (AIS)
- 101. Obra Adani thermal transmission project
- 102. Fatehgarh, Air Insulated Substation (AIS)
- 103. Khetri, Jhatikara & Sikar, Air Insulated Substation (AIS)
- 104. Kamuthi 220 & 110 kV

Transportation

- **105.** Chennai Metro mass urban transit system
- 106. Tanzania Standard Gauge Railway (SGR), lots 3 and 4
- 107. North South Commuter Rail, Philippines
- 108. Great Western Electrification Plan
- 109. BMRCL urban mass transit system
- 110. Kochi Metro urban mass transit system
- 111. Kolkata Mass Rapid Transit System (MRTS)
- 112. Pink and Yellow monorail network
- 113. Bangalore Metro Phase l, India
- 114. Delhi Metro Rail Corp, phase 1 and 2

Data centers

115. Greenfield substations for Susquehanna Data Center


Battery Energy Storage Systems (BESS)

- 116. ERCOT sites of 10 MW/20 MWh BESS
- 117. Greenport 100 MW/200 MWh BESS
- 118. Long Draw North-West Texas 150 MW/300 MWh BESS



111





Conventional generation

Americas
Europe
Middle East & Africa
Asia Pacific



Cricket Valley 345 kV GIS Substation

Customer: Bechtel Infrastructure and Power

Location: New York City, US — 2019

The challenge

→ A 1,100 MW clean burning natural gas power plant to supply power to New York City and surrounding areas. The facility was located on a small site of a retired industrial facility. The site required costly site prep and was highly congested

Scope

→ A compact 345 kV GIS substation that minimized the substation footprint to fit in the constrained area while also minimizing site preparation costs and improving constructability. Our team worked with ConEd to ensure the substation met the rigorous utility requirements to ensure high system reliability and security

Benefits

→ The compact GIS substation overcame the site's space challenges. A single supplier for the whole delivery, managing grid interconnect requirements, planning all activities and managing the risk of working at this very challenging site, provided the customer with certainty of project success



Hummel Energy Station - 500 kV

Customer: Bechtel End user: Panda Power Funds

Location: Shamokin Dam, PA, US — 2018

The challenge


- → Conversion from coal to natural gas which required an upgraded grid connection
- → The brownfield site provided considerable challenges due to the limited space available
- → Multiple transmission lines with varying voltage levels

Scope

- \rightarrow Full turnkey solution for the 500 kV GIS substation including 1000 meters of GIB
- ightarrow Technical skills for interconnection with the existing utility switchyard

Benefits

- ightarrow Compact GIS substation that overcame the sites space challenges
- → A single supplier for the whole delivery, planning all activities and managing the risk of working at this very challenging site ensured timely completion



Hinkley Point C

Customer: NNB Gen Co (EDF Energy)

Location: Somerset, United Kingdom — 2022, 2025

The challenge

- → First nuclear power plant in the UK for decades
- → 400 kV GIS substation for reliable connection of 3,700 MW; 7% of UK's power needs 2025; enough to power 6 million homes
- \rightarrow Full-turnkey 400 kV substation including civil works with timely delivery and maximum security requirements

Scope

- \rightarrow 400 kV GIS, overhead lines, underground cable, 6 x 120 MVA transformers and 6 x 700 MVA transformers, with fire protection on the conventional island
- \rightarrow IEC 61850 substation automation, control and protection

- ightarrow Excellent reliability through in-house and on-site engineering, installation and project management expertise
- → On-time delivery with proactive risk mitigation measures
- → Inherent safety by design won the ABB country award for Project safety 2018



Rumailah fast-track extension 400/132 kV

Customer: International Free Company in Iraq End user: Ministry of Electricity

Location: Basrah, Iraq — 2019 - 2024

The challenge


- → The power plant will after this final extension have a capacity to export 3,000 MW of electricity to the Iraqi transmission grid, stabilizing the power quality and reducing CO² emissions in Southern Iraq
- ightarrow The 400/132 kV substation at Rumailah 3,000 MW PP will be the largest substation in Iraq with a footprint of 700 x 250 m

Scope

 \rightarrow 14 no's 400 kV diameters, 33 no's 132 kV bays, 4 no's 400/132 kV 250 MVA auto transformers, 1 no's 400 kV 50 MVAr shunt reactor

Benefits

- \rightarrow During the entire project phase, Linxon has been supporting SHG with engineering to design the most optimal technical solution of the 400/132 kV substation to export 3,000 MW from the power plant to Iraq transmission grid
- → The supply also included engineering and procurement packages of the 400/132 kV substation at various stages to match completion of the power plant construction



Tanajib cogeneration 380 kV BSP switching station

Customer: SCT **End user:** Saudi Aramco **Location:** Eastern Region, Saudi Arabia — 2023

The challenge

- → The development of this cogeneration plant and the seawater desalination plant with a net capacity of approximately 940 MW of electricity generation, a steam output of approximately 1,084 tons per hour, and a desalinated water output of approximately 19,470 cubic meters per day
- ightarrow The project will generate 940 MW net power capacity that will transpire through 380 kV GIS to the grid

Scope

→ 4 Dia_380 kV, 63 kA GIS (11 Breakers) incl. LCC, Control & Protection, Gantry & Termination, Metering, Communication, Metering, AC/DC, LV Cable Works, Civil/ Electromechanical Works

- → The cogeneration plant consisting of gas turbines, heat recovery steam generators, and steam turbines can efficiently generate electricity with the waste heat used to generate process steam and achieve high thermal efficiency, which contributes to carbon emissions reduction by reducing natural gas consumption
- ightarrow The project will supply electricity, steam, and desalinated water to the new oil and gas facilities in the area owned by Aramco



Bismayah 3,000 MW CCPP

Customer: Mass Global Holding Group End user: Ministry of Electricity

Location: Bismayah, Iraq — 2016 - 2018

The challenge

→ Functional combined cycle 3,000 MW power plant in 4 stages

Scope

- → 10 diameters 400 kV + 8 bays 132 kV GIS switchgear
- → 2 x 500 MVA 400/132 kV auto transformers
- → R&C and telecommunication
- → Erection and commissioning
- → Training

Benefits

- ightarrow First successful private investment power generation in central Iraq and by far the biggest power plant in Iraq
- → One competent partner for the complete substation design
- → HV Substation completely commissioned by ABB



Rumailah 3,000 MW CCPP

Customer: International Free Company in Iraq End user: Ministry of Electricity

Location: Basrah, Iraq — 2018

The challenge

→ Functionnal combined cycle 3,000 MW power plant in 4 stages

Scope

- → 6 diameters 400 kV AIS switchgear
- → 2 x 50 MVAr 400 kV shunt reactors
- → R&C and telecommunication
- → Interface with Power Plants

Benefits

- \rightarrow First successful private investment power generation in South Iraq
- ightarrow One competent partner for the complete substation design
- → New DCB installed in Iraq Market



Al Fadhili 380/115 kV Gas Plant

Customer: Doosan Heavy Industries End user: SEC/Aramco Engie

Location: Saudi Arabia — 2018

The challenge

- → Partial energization within 19 months from contract award
- → Multiple stake holders (SEC/Aramco/Engie/Doosan), SEC standards
- → New HCIS 2017 security standards

Scope

- → Full turnkey 380/115 kV substation
- → 36 bays 380 kV GIS ½ scheme with outdoor GIBs
- \rightarrow 115 kV GIS + 502 MVA power transformers
- \rightarrow Control and protection scope (IEC 61850)
- → Civil construction, mechanical HVAC & firefighting
- → Remote end modifications

- → Achieved full energization in 19 months (fast track)
- → Pilot class 1 security standard executed



Dohuk 1,000 MW GPS

Customer: Mass Global International **Location:** Dohuk, Iraq — 2010 & 2013

The challenge

→ New 132 kV AIS substation to secure power generation in Kurdistan

Scope

- → Turnkey delivery of three green field 132 kV AIS S/S consisting of
- → 24 bays 132 kV switchgear
- → R&C and communications
- → Civil design, erection and commissioning
- → Training of local Iraqi engineers and remote supervision

Benefits

- ightarrow A new substation with the latest primary & secondary equipment technology that secures transmission of power generated at Dohuk GPS
- → Completion time 12 months



Khormala 640 MW GPS

Customer: KAR Group **Location:** Dohuk, Iraq — 2013

The challenge

ightarrow New 400 kV AIS substation to secure power generation in Kurdistan Region; Khormala 640 MW

Scope

- \rightarrow Turnkey delivery of three green field 132 kV AIS S/S consisting of
- \rightarrow EP supply of 400 kV AIS S/S
- ightarrow 5 diameters 400 kV switchgear with Disconnecting CB
- → R&C and communications
- → Engineering, supervision for erection and commissioning
- → Training of local Iraqi engineers and remote supervision

Benefits

- ightarrow A new substation with the latest primary & secondary equipment technology that secures transmission of power generated at Khormala GPS
- → Completion time 14 months



Akola, Koradi, Tiroda – 765 kV

Customer: Adani Transmission

Location: Akola, Koradi, Tiroda, India — 2012

The challenge

- → Reliable evacuation of generation plants
- → Fast Track completion, multiple site coordination

Scope

- → Supply, installation, testing and commissioning excluding civil works
- \rightarrow 34 bays of 765 kV & 18 bays of 400 kV

- \rightarrow On time delivery
- \rightarrow Meeting increased demand for electricity supply



Rabigh IPP 380 kV GIS substation

 $\textbf{Customers:} \ \textbf{SEPCO III} \ \textbf{Electric Power Construction Corporation and Saudi Electricity Company Location:} \ \textbf{Rabigh (Jeddah) Saudi Arabia} \ - \ 2011$

The challenge

- → The first IPP (Independent Power Plant) being built in the country
- → Power supply for the fast growing industry and population in Saudi Arabia

Scope

- → 380 kV GIS substation with 9 circuit breakers
- → IEC 61850 substation automation, control and protection system, telecommunication, installation and commissioning of substation

Benefits

→ Increased availability and reliability



Doha substations - Phase VI 132/11 kV GIS substations

Customer: Hyundai Eng. & Construction (HDEC), Kahramaa

Location: Doha, Qatar — 2009

The challenge

- → Advanced power plant with 2,600 MW electricity generation and 55 million gallons of drinking water per day
- → Coordinated integration into the existing grid

Scope

- → 3 GIS substations: 31 CB's 400 kV, 12 CB's 220 kV, 12 CB's 132 kV
- → Transformers, substation automation system, telecommunication, auxiliaries, installation supervision and commissioning
- → Electrical Balance of Plant (EBoP) and power train (GCB, IPB), MV, HV-cabling

Benefits

- → Short delivery time
- → Coordination of substation and EBoP in one hand



Al Dahma 220 kV Extension

Customer: Transco, ADWEA End user: Transco

Location: Al Ain, Abu Dhabi — 2009


The challenge

ightarrow Expansion 220 kV/33 kV feeding Al Ain Airport, Royal Family Residential Area, and other stations

Scope

- \rightarrow 2 x 220 kV GIS ELK-14 with adaptor to connect old ELK-1
- → Extension of the 13 x 33 kV GIS MV SWG Panels
- → Control and Protection Modification
- → Telecom works
- → Civil Works including FF and HVAC modification for buildings
- → Supervision for erection and commissioning

- → Successful Execution in minimum outage time
- ightarrow HV Substation completely commissioned by ABB



Utilities

Americas
Europe
Middle East & Africa
Asia Pacific



Morristown 230 kV/34.5 kV

Customer: FirstEnergy Service **Location:** New Jersey, US-2025

The challenge

- → Engineering and procurement of existing outdated 230 kV / 34.5 kV equipment
- → Design and construction sequence required to minimize outages to avoid critical energization periods

- → Reliable gas-insulated equipment using Hitachi Energy GIS (ELK-04- and ELK-14)
- → Modular protection, automation and control (MPAC) panels
- → 230 kV and 115 kV HV XLPE cable systems in cable trenches
- → Dead end steel structures, associated equipment steel supports
- → Design, civil construction works, installation

Benefits

- → Reliability improvements via replacement of outdated systems
- → GIS technology reduces the substation's footprint by up to 70% and minimizes maintenance
- → Enhanced security in a remote location, placing major equipment inside the buildings



Glenbrook AIS Substation

Customer: Pennsylvania Power & Light (PPL)

Location: New Jersey, US — 2024

The challenge

→ PPL anticipated severe voltage issues and thermal overload during summer peak demand and required to upgrade and expand their transmission network

Scope

→ A turnkey 230/69 kV AIS substation, including 230 kV, 115 kV and 69 kV breakers, steel structures, capacitor banks, control building battery and AC/DC systems, installation and commissioning

- → Most cost-effective and best long-term solution to resolve all of the reliability issues
- → The substation will produce significant long-term reliability benefits to the Berwick area and is expected to impact approximately 46,200 customers



Rio Oso 230 kV and 115 kV

Customer: Pacific Gas and Electric company PG&E

Location: California, US — 2023

The challenge

- → Engineering and procurement of existing outdated 230 kV and 115 kV AIS equipment replacements
- → Design and construction sequence required to minimize outages to avoid critical energization periods




- → Pre-engineered buildings for 230 kV and 115 kV GIS and MPAC
- → Five diameters BAAH, 15-breakers 230 kV and 115 kV GIS
- → Modular protection, automation and control (MPAC) panels
- → 230 kV and 115 kV HV XLPE cable systems in cable trenches
- → Dead end steel structures, associated equipment steel supports
- → Civil works



- → Reliability improvements via replacement of outdated systems
- → Modernized protection, control and automation of the substation
- → Enhanced security in a remote location, placing major equipment inside the buildings







Embarcadero

Customer: Pacific Gas and Electric (PG&E) **Location:** San Francisco, CA, US — 2019

The challenge

- → Improve of existing Embarcadero substation's reliability and flexibility needed
- → Constantly small earthquakes and shakes, and the need of preparing for larger events in the future
- → A new 230 kV power line under the San Francisco Bay and two new gas-insulated substation expansions in the city at the existing Embarcadero and Potrero substations

Scope

→ 230 kV Breaker-and-A Half (BAAH) Gas Insulated Substation (GIS)

Benefits

- → Additional power source to prevent power outages in case of earthquakes
- → Increase capacity and improve reliability of electrical service



Potrero - 230 kV & 115 kV switchyard

Customer: Pacific Gas and Electric (PG&E) **Location:** San Francisco, CA, US - 2019

The challenge

- → Constantly small earthquakes and shakes, and the need of preparing for larger events in the future
- → A new 230 kV power line under the San Francisco Bay and two new gas-insulated substation expansions in the city at the existing Embarcadero and Potrero substations

Scope

- → Two bays of 230 kV GIS breaker-and-a-half (BAAH), with circuit breakers, disconnect switches, and future BAAH equipment
- → One three-phase 230/115 kV. 420 MVA transformer bank
- → One 230 kV shunt reactor for the ZA Embarcadero-Potrero cable with a circuit breaker and disconnect switch, assorted equipment

Benefits

- → Improved reliability; greater redundancy and resiliency added in the event of a catastrophic earthquake
- → Increased the power capacity of San Francisco's financial district



69 kV GIS urban substation

Customer: City of Anaheim (COA) **Location:** California, US — 2019

The challenge

→ COA required a turnkey supplier with proven experience to design and install an aesthetically suitable building for close proximity to Disneyland

Scope

- \rightarrow (2) 69/12 kV 33/40/50 MVA transformers enclosed in architectural building
- ightarrow 12 kV metal clad AIS switchgear lineup with (25) breakers
- → P&C Engineering, SCADA, panels, architectural buildings, foundations, vaults
- → (6) ABB 69 kV GIS breakers and (2) future spaces

- → Wealth of experience executing turnkey (EPC) GIS projects, including (2) for COA
- → Strong project team and local strategic partners
- → Comprehensive, modern proposal presentation including 3D renderings of the project



Waterfront 230 kV

Customer: Pepco

Location: Washington DC, US - 2017

The challenge

- → Architectural building with precast exterior
- → Aging infrastructure, site was located in a congested urban community

Scope

- → 8 bays of BAAH 230 kV GIS breakers with tie breakers, 6 ring bus 13 kV switchgear (102 breakers total), high voltage equipment
- → Relay and Protection equipment and station automation
- → HVAC/Fire protection/Building security
- → Landscaping and construction

Benefits

→ Comprehensive, modern design



Naval Base - Elevated GIS substation

Customer: AEP (American Electric Power) **Location:** Corpus Christi, Texas, US — 2016

The challenge

- → 69 kV GIS Substation
- → Potential for future 138 kV Substation upgrade
- → Address high water table in regards to cable installation

Scope

- → Cost effective project solution (utilize existing material from postponed project)
- → Pre-cast building foundation
- ightarrow Elevated slab to counteract the high water table
- ightarrow HV cabling system that will allow for future upgrade

Benefits

- → Pre-cast foundation allows for quick onsite assembly
- → Energized on schedule
- → Flexible assembly allowing for future upgrade
- → Full commissioning of GIS Substation and relay panels



TVA Hiwassee 500 kV GIS and Expansion

Customer: Tennessee Valley Authority (TVA) **Location:** Tennessee State, TN, US — 2011

The challenge

- → Manufacturing plant needed high reliability 161 kV feed
- → TVA needed 500 kV station in area
- → Manufacturer allotted minimum area on site for 500-161 kV

Scope

- → Being familiar with the capabilities of the GIS equipment, our team was able to provide a solution that optimized the layout
- → Small initial station footprint gave TVA room to expand site in future

- → Deploy new 500 kV GIS at plant site
- → Compact and low cost building solution
- → Station completed on time



Ontario Hearn Substation

Customer: Hydro One

Location: Ontario, Canada — 2008

The challenge

- → Insufficient space to connect to existing AIS
- → Splice connection into existing 40 year old oil-filled cable
- → Keeping existing substation energized while building the expansion
- → Fast track schedule

Scope

- → GIS for new substation with P&C
- → Modular retrofits to existing bays
- → HV cable connection between major systems
- → Avoided splices in oil-filled cables

Benefits

- → Adherence to HONI procedures
- → EPC with management of complex systems integration
- → Winter construction
- → Collaborative approach



Degerträsk 400 kV AIS substation

Customer: Svenska Kraftnät **Location:** Boden, Sweden — 2025

The challenge

- → Building a greenfield 400 kV station in the Northern part of Sweden
- → Power the H2 Green Steel (H2GS)'s mill through a 130 kV Vattenfall Substation

Scope

→ A 10-bay 400 kV Air Insulated Switchgear (AIS) substation

Benefits

- → The greenfield development forms part of SvK's Fossil-Free Upper Norrland (FÖN) program which seeks to electrify energy-demanding industries such as steel production in the north of the country
- → The steel plant will be a completely fossil fuel free facility producing green steel for the automotive, white goods, furniture and industrial equipment sectors
- → One of Europe's largest green hydrogen plants will be integrated



Messaure 400 kV AIS substation

Customer: Svenska Kraftnät

Location: Jokkmokk, Sweden — 2025

The challenge

- ightarrow Building a brownfield 400 kV station in the Northern part of Sweden
- → The new substation forms a key component of the planned Aurora power line

Scope

→ An 8-bay 400 kV Air Insulated Switchgear (AIS) substation

- → A Swedish-Finnish collaboration, the Aurora Line is a European Project of Common Interest (PCI) designed to secure an important part of future Nordic electricity supply, as well as that of the common European market
- → The Aurora Line will increase cross-border capacity by approximately 900 MW from Finland to Sweden and 800 MW from Sweden to Finland
- Climate impact reduction is also promised with increased electricity trading capacity, equalized electricity prices between Finland and the rest of the Nordic region and reduced dependency on fossil fuel electricity production



Hagby 400 kV, 220 kV and 132

Customer: Vattenfall Eldistribution **Location:** Stockholm, Sweden — 2025

The challenge

→ Building brownfield 132 kV station comprising 8 bays on the site of an old station to minimize increased footprint

Scope

- → A new 132 kV station with 8 bays
- → The extension of a 400 kV substation with 2 bays
- → Demolition and replacement of a section of another 220 kV substation

Benefits

- → The refurbishment is part of an overall scheme to meet increased power supply demands
- → Strengthening the transmission grid in the Stockholm region
- → Increasing performance and decreasing future maintenance costs, whilst ensuring minimal environmental impact



SSEN AIS and GIS substation framework agreement, 132 - 400 kV

Customer: SSEN

Location: Scotland, UK — 2029

The challenge

- → Framework agreements for turnkey delivery of high voltage and extra high voltage substations and associated systems
- → Support current and future project demand within the SSEN Transmission projects portfolio in the United Kingdom

Scope

- → Design, engineering, procurement, construction and commissioning of Gas Insulated (GIS) substations and AIS substation works along with associated systems
- → Current and future project demand within SSEN Transmission. We are now in these two frameworks for an initial term of 5 years with a potential extension for another 2 years

Benefits

→ A Delivery Partner Model which aims to promote long-term collaborative working with the supply chain in order to provide the most efficient solution to the consumer and support the net-zero ambitions



ESB substation framework agreement

Customer: ESB

Location: Republic of Ireland -2029

The challenge

→ The framework activities will range from small substation extensions and refurbishment to large scale, innovative, new build substation requirements

Scope

- → The proposed scope of works for the projects under this framework agreement will include, but not be limited to:
- \rightarrow 400 kV/220 kV/110 kV/38 kV voltage levels GIS and/or AIS
- → Substation control system and protection systems, underground HV cable circuits and overhead lines depending on project requirements

Benefits

Linxon providing its market leading technical/equipment innovation, system integration and construction knowledge across ESB Networks electrical transmission, whilst supporting both organisations' drive towards Net Zero



London Power Tunnel, 400/132 kV, UK with EconiQ™ 420 kV GIS

Customer: National Grid, UK **Location:** United Kingdom — 2026

The challenge

→ Linxon is supplying the substation package relating to National Grids' London Power Tunnels 2 project in the United Kingdom. This vital work will help keep Londoners connected to safe and reliable electricity supplies

Scope

- → To connect the underground cables to the Transmission and Distribution Networks, Linxon will design, supply, install and commission connection bays at two existing national Grid substation sites, modification works at two further sites and construct a new 7 bay 400/132 kV Gas Insulated Switchgear (GIS) substation at Bengeworth Road, South East London
- → Pioneering EconiQ™ 420 kV GIS

Benefits

→ The project aims to boost certainty and productivity in delivery, improve whole asset life outcomes and support a more sustainable, innovative and highly skilled industry



Värtan 220/110 kV GIS

Customer: Ellevio

Location: Sweden — ~2026

The challenge

- → The largest substation project that Ellevio has ever undertaken
- → The indoor technology has been chosen because this enables the construction of the substation on a smaller footprint
- ightarrow Construction works whilst the old substation is operational

Scope

- → 110 kV GIS switchgear: 17 double busbar, single breaker; 3 double busbar double breaker; 4 coupler bays
- → 220 kV GIS switchgear: 16 double busbar, double breaker; 4 double busbar single breaker, 4 coupler bays
- → Transformers 225/112.5/33 kV 250 MVA; 112.5/33 kV 75 MVA; reactor 225 kV 150 MVAr
- → Execution in two stages: 110 kV GIS, 20 months (stage 1) and 220 kV, 55 months (stage 2) plus one option (stage 3)

Benefits

ightarrow Meeting the need to strengthen and renew Stockholms electricity grid to secure future transmission capacity



Bühl, 380 kV substation

Customer: Transnet BW

Location: Bühl, southwestern Germany — 2025 - 2026

The challenge

Strengthening the 'Badische Rheinschiene' power link in the Rhine valley will increase the capacity and improve the reliability of the grid to transmit electricity generated by northern windfarms to consumers in the south, while nuclear and coal power plants are being put out of service

Scope

→ Design, supply, install and commission a 380 kV GIS substation to replace an existing 220 kV AIS substation. The upgrade includes 4 new GIS bays, double-busbar, control and protection systems, substation automation, metering, and telecommunication systems, new auxiliary supplies, 2 x 20 kV compact stations, diesel generator, a 110 kV cable connection between 380/110 kV transformers, and an existing 110 kV substation as well as all buildings, infrastructure and roads

Benefits

→ The new installation will be equipped with Hitachi Energy's gas-insulated switchgear (GIS) technology that offers outstanding reliability and can be safely operated in confined spaces



Gullarängen/Nynäshamn 130 kV substations

Customer: Vattenfall Eldistribution **Location:** Stockholm, Sweden — 2024

The challenge

→ Design, supply, construction and commissioning of two turnkey substations to Vattenfall Eldistribution, which will replace old equipment in Gullarängen and Nynäshamn

Scope

- → The existing 70 kilovolt (kV) air-insulated outdoor switchgear will be replaced by gasinsulated indoor switchgear
- → The voltage will be raised to 130 kV
- ightarrow In Gullarängen, the medium-voltage switchgear as well as a power transformer will also be replaced
- → Two modern buildings for the substations

Benefits

→ This modernization is part of Vattenfall's large-scale "Capacity Stockholm" program, a major investment with the aim of strengthening the electricity grid and upgrading the regional network around the capital of Sweden



Ringhals 400 kV AIS

Customer: Svenska Kraftnät Location: Sweden — 2023

The challenge

- → A challenging execution timeline
- → The modernization of the substation will be executed while power generation is maintained, keeping outages to a minimum

Scope

- \rightarrow A replacement of the existing substation consisting of two 400 kV switchgears (totally 11 bays)
- → The new substation will be connecting reactor 3 and 4 to the transmission grid
- → Turnkey supply including project management, engineering, procurement, equipment supply, civil design, civil works, mechanical & electrical installation and commissioning

Benefits

 \Rightarrow High technology solutions mainly from ABB, such as the switchgears with disconnector circuit breakers (DCB's), auxiliary power supply plus the protection and control system according to IEC 61850



Grundfors 400 kV

Customer: Svenska Kraftnät **Location:** Sweden — 2023

The challenge


- → A turnkey supply of an 400 kV electrical substation in northern Sweden
- → The cold climate in this area puts extra high requirements on the high voltage equipment's and the local construction

Scope

- → Turnkey EPC delivery including project management, engineering, procurement, equipment supply, civil design, civil works, mechanical & electrical installation and commissioning
- ightarrow Relocation of 2 existing transformers 350 and 750 MVA and 2 reactors
- → Demolition of existing AIS switchyard

Benefits

→ The major hydro power plant in Grundfors will be connected to the transmission grid through this substation. The hydro power plant is a major supplier to manage the electrical demand from all major cities in the northern part of the country



Hall 400 kV substation

Customer: Svenska Kraftnät

Location: Södertälje, Sweden — 2023

The challenge

- → Installation of one new 400 kV air insulated (AIS) substation
- → Design, supply, construction and commissioning

Scope

- → Replace an existing substation, which having reached the end of its lifespan
- ightarrow Including demolition of existing substation

Benefits

→ A part of a modernization program to expand and upgrade existing substations to ensure it can meet the needs of Sweden's growing urban population



Shurton

Customer: National Grid UK

Location: Somerset, United Kingdom — 2022

The challenge

- → Main connections to HPC, the first nuclear power plant in the UK for decades
- → Full-turnkey 400 kV substation including civil works

Scope

- → 400 kV GIS (18 bays), 6 x 2400 MVAr series reactors
- → IEC 61850 substation automation, control and protection

- → Excellent reliability through in-house and on-site engineering, installation and project management expertise
- → Integrated security solution providing a robust security system around the site



Burwell extension project, 400 kV mechanical switched capacitors

Customer: National Grid, UK **Location:** United Kingdom — 2022

The challenge

→ The upgraded station will provide network stability for the grid in line with the Net Zero and network security commitments undertaken by National Grid

Scope

→ The Linxon scope consists of the design, supply, installation and commissioning of two new 225 MVAr Mechanically Switched Capacitors with dampening network (MSCs) bays inclusive of the associated civil works to extend the substation site

Benefits

→ The MSCs contribute to network stability and fault prevention across the UK transmission network



400 kV AIS substation for the British-Danish Viking Link

Customer: National Grid

Location: United Kingdom - 2022

The challenge

- → The interconnector project will involve the construction of a converter station in each country and the laying of submarine/underground cables between each converter station and their respective substations
- → Viking Link will be approximately 760 km in length and will allow electricity to be exchanged between Great Britain and Denmark
- → Linxon's task is to deliver the UK grid connection substation works on behalf of National Grid for this critical link

Scope

→ The extension of double busbars, bus coupler and two user (interconnector) bays, including civil works

Benefits

→ The interconnector and the substation works will allow Britain and Denmark to make more effective use of renewable energy sources, increasing access to clean green energy and improving the security of electricity supplies for both countries



Skanstull 400 kV

Customer: Svenska Kraftnät

Location: Sweden — (first energisation) 2022

The challenge

- → As Stockholm grows, there is a need to strengthen and renew the region's electricity grid in order to secure future electricity needs
- → The 400 kV GIS substation is located in the southern exit of the tunnel close to Hammarby Sjöstad and will connect the cables from Anneberg, the substation Snösätra and also feed the existing 220 kV substation in Skanstull

Scope

→ A 400 kV GIS, two large digitally enabled ABB Ability Power Transformers (400/220/11 kV 500 MVA) and two 400 kV shunt reactors plus an industry-acclaimed power automation and control system, MicroSCADA Pro

- → The substation will be installed in a double storage building which is partly underground to save space
- → The complex site location and transport logistics in the middle of Stockholm are very challenging and require solid project management and project coordination



Barkarby 130 kV GIS

Customer: Vattenfall Eldistribution AB **Location:** Stockholm, Sweden — 2021

The challenge

→ Stockholm is expanding heavily in the northwest part and the substation is needed to secure the electrical infrastructure in the growing area

Scope

- → Turnkey delivery of new 130/10 kV GIS substation including project management, engineering, equipment supply, civil design, civil works, installation and commissioning
- → Protection & control system using IEC 61850
- → Two substation buildings with high requirements on the external finishing

Benefits

→ High technology solutions, such as the 130 kV GIS switchgear from ABB, ensuring high reliability, operational safety and low maintenance



St. John's Wood SGT Replacement

Customer: National Grid UK

Location: London, United Kingdom — 2019

The challenge

- → Transformer replacement and upgrade within existing 400 kV GIS substation
- → Change of connection from 275 kV mesh corner to 400 kV double bus

Scope

→ Replacement of an existing SGT, a 275/66 kV 185 MVA super grid transformer with a 400/66 kV 240 MVA SGT at St. John's Wood 400 kV substation

Benefits

- → Excellent reliability through in-house and on-site engineering, installation and project management expertise
- → Minimum disruption
- → Rating upgrade
- → Improved reliability, efficiency, noise performance, fault analysis, system response times



Sege 400 kV AIS

Customer: Svenska Kraftnät **Location:** Malmö, Sweden — 2016

The challenge

- → Turnkey delivery of a 400 kV AIS Substation with 9 bays close to Malmö in southern Sweden
- → Construction in a safe way beneath live 400 kV transmission lines under a tight time schedule

Scope

- → 9 double busbar, double breaker bays 420 kV AIS equipment
- → Protection & control system using IEC 61850
- → Turnkey EPC delivery including design, civil, installation and commissioning works

- → Delivery on time while meeting customers high quality demands
- ightarrow Zero accidents in a challenging environment (close to live OHL)



Djuptjärn/Högnäs 400 kV AIS

Customer: Svenska Kraftnät

Location: Kalix and Sundsvall, Sweden — 2016

The challenge

- → Turnkey delivery of two 400 kV AIS Substations with 4 resp 6 bays in middle/north of Sweden
- → Construction in a safe way close to live 400 kV transmission lines under a tight time schedule

Scope

- → Total 10 double busbar, double breaker bays 420 kV AIS equipment
- → Protection & control system using IEC 61850
- → Turnkey EPC delivery including design, civil, installation and commissioning works

Benefits

- → Delivery on time while meeting customers high quality demands
- → Zero accidents in a challenging environment (close to live OHL)



Upgrade of 380 kV hybrid switchgear

Customer: Tennet

Location: Simbach, Germany - 2014

The challenge

- → Extension of an existing 220 kV substation for the grid integration of a 900 MW combined cycle gas turbine plant
- → Upgrade of the voltage level to 380 kV and extension of the feeders on restricted space

Scope

- → Turnkey project for modification and extension of the existing 220 kV AIS substation, comprising:
 - 420 kV hybrid switchgear
 - 2 x 300 MVA power transformers
- → Integration of the 380 kV overhead line (OHL)
- → Engineering, design, supply, installation and commissioning

Benefits

- → Optimized utilization of the available space through sophisticated arrangement of the switchgear bays with optional extension to 3 busbars
- → Modifications during operation with minimized downtime



Thuwal and Khulais 380 kV BSP expansion

Customer: Saudi Electricity Company

Location: Western Region, Saudi Arabia — 2023

The challenge

- ightarrow The work covers the expansion of an existing 380 kV Air Insulated Substation at Khulais and existing 380 kV GIS in Thuwal
- ightarrow Also considered the Remote End scopes which covers RBG-PV, SMR, & MKN

Scope

- → For Thuwal, One Dia. 380 kV GIS, with complete protection, metering, control and SCADA equipment
- → For Khulais Two bays of 380 kV AIS Double Bus Single breaker configuration and modification on AC/DC LV Aux Supply, Prot., metering, control SCADA/Telecom, Civil and Electromechanical works. Also relocation of existing Capacitor Banks and Spare SGT is included

Benefits

→ The expansion project aimed to meet the load growth requirement in the region and to ensure security of supply in Thuwal & Khulais cities



Blackzone - Transformer replacement project

Customer: Saudi Electricity Co.

Location: Makkah / Jeddah, Saudi Arabia — 2024

The challenge

- → The National Grid Saudi Arabia-Western Operating Area proposed to purchase three 380/120/13.8 kV, 250 MVA power transformers to serve as spare unit for the 3 in service transformers at HVM 380 kV S/S (TR-01 & TR-02) and at HVP 380 kV S/S (TR-28)
- → New transformers shall match with existing units in terms of electrical parameters and shall be able integrate to the existing space & facilities in case of replacement later

Scope

→ The work includes supply, installation of the spare Transformer on a designated storage foundation in West Area, assembled, oil filled, pre-commissioned tested and preparation for long term storage

Benefits

- The project is considered to support the stability, increased availability and reliability of the stations
- → The substation will produce significant benefits to the end user and enhance the productivity of the stations



Expansion of Al Mursalat (9012) 380/132 kV BSP

Customer: Saudi Electricity Company

Location: Riyadh, Saudi Arabia — Portion 1 & 2 commissioned and Portion 3 — 2023

The challenge

- → The project has been considered to continue the reconfiguration task of Riyadh City Network and to provide better system
- → The protection elements must be coordinated to ensure secure operation when out-of-zone faults occur and correct discrimination between faults. The relay system and relay schemes shall be designed in such a way that they will not issue any mal-tripping impulse. Maximum priority shall be given on achieving high degree of reliability

Scope

→ The Expansion of existing 380 kV BSP, Al Mursalat 380/132 kV BSP including necessary modifications such as additional Protection, Control, Communication, and SCADA Equipment at the 9012 BSP and the relevant remote ends substations

Benefits

- → The project considered to continue the reconfiguration task of Riyadh City Network and to provide better system reliability and operational flexibility
- → Adding to this is to reduce the short circuit level of many 380 kV BSP by regrouping of PP9, PP10, East Ring and North Ring of Riyadh 380 kV Systems



Al Badr Expansion (9013) & Installation of Reactors @ Nafal 9008 & PP-7 (9007)

Customer: Saudi Electricity Company **Location:** Riyadh, Saudi Arabia — 2023

The challenge

- → The project is an Expansion of Existing Badr (9013) and Installation of Reactors at Nafal (9008) and PP-7 (9007) stations
- → The project has some constraints such as relocation of facilities old system, change of layout, extra demands at design stage that needs to considered

Scope

→ 380 kV GIS 1 Bay, 380 kV Bus Reactor 3 Nos. (150 MVAR & 120 MVAR) incl. C&P, Automation, Gantries & Termination, EHV Power Cable, AC/DC, and Civil/Electromechanical works

Benefits

→ This expansion projects will support in improving the voltage profile of Kingdom's grid in the minimum load scenarios, specifically to the Central Region



Refurbishment of Qatif 230 kV Substation

Customer: Saudi Electricity Company **Location:** Qatif, Saudi Arabia — 2023

The challenge

→ In order to ensure reliability of the grid due to high risk of failure anticipated due to existing outdated equipment at Qatif BSP, the end user decided to retrofit the existing 230 kV GIS CB's and replace the existing old transformers along with UG cables

Scope

→ The contract covers the replacement of CBs of existing BBC, ELK 230 kV GIS and replacement of existing transformers T-701 & T-703 and UG Cables including required modifications to existing protection, control, communication and related works

Benefits

- → Reliability improvements via replacement of outdated systems
- → Enhance the productivity of the substations and improve the performance with long term capability
- → Strengthening our execution capabilities in the Eastern region



Rabigh 2 expansion of 380 kV GIS & installation of reactors @ MKH & JNE

Customer: Saudi Electricity Company

Location: Rabigh, Makkah & Jeddah Saudi Arabia — 2023

The challenge

- → The project is an expansion of existing Rabigh 2 and installation of Reactors at MKH & JNE stations
- ightarrow The scope involves addition of 380 kV GIS, 380 kV Bus reactors and 380 kV Cable in the existing stations

Scope

→ Scope of work is mainly consisting of 380 kV GIS having double bus bar single breaker configuration comprising of two bays, five nos. of 380 kV reactors (150 MVAR, 120 MVAR & 80 MVAR) & modification on AC/DC, LV auxiliary supply, control, protection, metering, SCADA/ telecommunication, civil, and electro-mechanical works

Ranafite

- \rightarrow The expansion of the substation will enhance the grid requirement and power supply reliability of 380 kV grid in the region
- → The project falls within the Saudi Electricity Company's short-term plan to improve the stability of the network in the various stations



Ghazal 230 kV GIS substation and associated remote end modification

Customer: Saudi Electricity Company

Location: Riyadh and Nafal, Saudi Arabia — 2023

The challenge

→ The projects fall within the Saudi Electricity Company's short-term plan to improve the stability of the network in the various stations. To meet the additional line termination requirement in the existing substation, Linxon will supply the extension of 230 kV GIS for 1 Nos Diameter for Saudi Aramco

Scope

- → 230 kV GIS Expansion 3 bays
- → 230 kV Cable Connection 1 lot
- → Remote end modification for Ghazal and South Ghawar GSP

Benefits

→ Linxon will extend the existing 230 kV GIS to provide power supply to the South Ghawar Gas separation plant, helping to increase the country's usage of natural gas



Abraj 132/11 kV substation, Dubai

Customer: DEWA (Dubai Electricity and Water Authority)

Location: Emirates of Dubai, UAE — 2022

The challenge

A substation located in Business Bay, Dubai to cater the planned development network in the area

Scope

→ The scope of works includes design, supply, construction, installation, testing and commissioning of 132 kV GIS (8-bays), power transformers, reactor, 11 kV AIS switchgears, earthing/auxiliary transformers, capacitor banks, control & protection system, CCTV system, civil works including fire protection, HVAC, lighting and small power systems & remote end modification works

Benefits

→ Linxon is implementing environmental supporting measures by reducing usage of plastic bottles as well as a hybrid solar power system for site facilities, and thereby contributing to reduction of CO² emission



Sanad 132/11 kV substation, Dubai

Customer: DEWA (Dubai Electricity and Water Authority)

Location: Emirates of Dubai, UAE — 2023

The challenge

→ A substation located in Jebel Ali Port area, which forms part of Dubai's expansion of its energy network

Scope

→ The scope of works includes design, supply, construction, installation, testing and commissioning of 132 kV GIS, power transformers, reactor, 11 kV AIS switchgears, earthing/auxiliary transformers, capacitor banks, control & protection system, CCTV system, civil works including fire protection, HVAC, lighting and small power systems & remote end modification works

Benefits

→ Linxon is implementing environmental supporting measures by reducing usage of plastic bottles as well as a hybrid solar power system for site facilities, and thereby contributing to reduction of CO² emission



12NT 132/33 kV two AIS substations

Customer: Ministry of Electricity **End User:** Ministry of Electricity **Location:** Iraq (Wasite Province and Karbala Province) -2022

The challenge

- → Two substations in two different Iraqi's Governates. These two substations will be required to secure the connection of the new generation units to the network in the middle and south region of Iraq Al-Hay (Wasite Governate') and New Karbala (Karbala Governorate)
- → Managing Project Operations within global and governmental constrains due to spread of COVID-19

Scope

- → EPC (LSTK) for two 132/33 kV AIS double busbar Substations
- → Civil , MEP, GIS, Power Transformer , CRP, SCS, Telecom, ACDC, Battery, Aux Transformer & Capacitor
- → Installation, Testing and Commissioning, FAT and Training, Security

Benefits

→ The new substations will increase the availability and reliability by securing safe and reliable power transmission



14NT 132/33 kV three GIS substations

Customer: Ministry of Electricity End User: Ministry of Electricity

Location: Iraq (Baghdad) — 2022

The challenge

- → Construction of three 132/33 kV GIS substations on turnkey basis to secure connection of the new generation units to the power network of the central Governorate (Al-Adala, Al-Turath and Al-Rabea)
- → Managing Project Operations within global and governmental constrains due to spread of COVID-19

Scope

- → EPC (LSTK) for three 132/33 kV GIS double busbar Substations
- → Civil , MEP, GIS, Power Transformer , CRP, SCS, Telecom, ACDC, Battery, Aux Transformer & Capacitor
- → Installation, Testing and Commissioning, FAT and Training, Security

Benefits

→ The new substations will increase the availability and reliability by securing safe and reliable power transmission



Central Iraq - 4 x 132/33 kV GIS, Jica lot 2

Customer: Ministry of Electricity in Iraq **Location:** Central parts of Iraq — 2022

The challenge

- → Delivering four (04) turnkey 132/33 kV GIS substations (Boob Al Sham 132/33 kV GIS SS, Kut Center 132/33 kV GIS SS, Al Dewaniay West 132/33 kV GIS SS, & Al Hussainiya 132/33 kV GIS SS)
- → Successfully delivering to customer requirement in 18 months

Scope

- ightarrow High voltage 132 kV GIS, 132/33 kV power transformers and 33 kV switchgear
- → Implement control and protection system, communication system, among others
- → Design, civil construction works, installation and commissioning

Benefits

- → Meeting high quality standards
- → Contributing to ramp up the country's electricity capacity



Baghdad North, 400 kV

Customer: Ministry of Electricity in Iraq

Location: Iraq — 2021

The challenge

- → Stabilize electricity transmission and power distribution in the northern parts of Baghdad
- → The grid has been impacted by high population and urban expansions

Scope

- → High voltage 400 kV GIS
- → Control and protection system, communication system, among others
- → Design, engineering, supply, installation, testing and commissioning supervision

- → Solving bottlenecks and provides flexibility for the transmission lines in the national network of Baghdad province
- → Future aim is to refurbish, upgrade as well as expand the transmission and distribution networks



2012 - 2016 Transmission Project Phase 1

Customer: Electricity & Water Authority (EWA)

Location: Bahrain — 2019-2020

The challenge

- → Six 220/66 kV GIS substations for the rapidly growing power needs of Bahrain
- → Supply, installation, testing and commissioning excluding civil works

Scope

- → Six 220/66 kV GIS substations including cable works
- → AIS medium voltage switchgear 21 and 11 kV
- → IEC 61850 substation automation, control and protection

Benefits

- → Well know solution with outstanding quality
- → On-time delivery of substations within 12 months



Sahel Al Zallaq, 220 kV GIS

Customer: Electricity & Water Authority (EWA)

Location: Bahrain — 2020

The challenge

→ The Electricity & Water Authority (EWA) of Kingdom of Bahrain has decided to construct additional capacity on their electricity transmission network to service a high-profile development in the southern part of the Kingdom

Scope

→ Linxon provided the complete engineering, procurement, installation, testing & commissioning of 220 kV Gas Insulated Switchgear (GIS) 66 kV GIS, 21/11 kV switchgears, integrated control system (ICS), control & protection system, high voltage/medium voltage and low voltage cables and relevant terminations, auxiliary power supplies, including house transformer 11 kV/400 V, standby diesel generator and earthing/earth grid works

Benefits

- → Well know solution with outstanding quality
- → On-time delivery of substations within 12 months



Amazon Askar

Customer: Electricity & Water Authority (EWA)

Location: Bahrain — 2020

The challenge

- ightarrow 220 kV GIS substations upgrade for an existing 66 kV GIS substation and will connect a 100 MW solar plant in Askar to the Bahraini grid
- → Supply, installation, testing and commissioning excluding civil works

Scope

- → Eight 220 kV GIS breakers including cable works
- → AIS medium voltage switchgear 21 kV
- → IEC 61850 substation automation, control and protection

- → Well know solution with outstanding quality
- → On-time delivery of substations within 12 months



Green Hills - 132 kV

Customer: EMAAR

Location: Dubai, UAE — 2020

The challenge

- → Power supply for Mega Development Dubai Hills Estate
- → Complying with DEWA high demands and EMAAR special architectural demand

- → Turnkey substation
- → 07 bays of 132 kV & 72 feeders of 11 kV

Benefits

- → Successfully delivering to customer special requirement
- → Meeting high quality standards



Rabwah - 132 kV

Customer: EMAAR

Location: Dubai, UAE — 2020

The challenge

- → Power supply for Mega Development Dubai Hills Estate
- → Complying with DEWA high demands and EMAAR special architectural demand

Scope

- → Turnkey substation
- \rightarrow 08 bays of 132 kV & 72 feeders of 11 kV

- → Successfully delivering to customer special requirement
- → Meeting high quality standards



2007 - 2011 Transmission Project

Customer: Electricity & Water Authority (EWA)

Location: Bahrain — 2010-2018

The challenge

- → 220/66 kV GIS substations for rapidly growing power needs of Bahrain
- → Turnkey supply, installation, testing and commissioning excluding civil works

Scope

- → Eleven 220/66 kV GIS substations including cable works
- → AIS medium voltage switchgear 21 and 11 kV
- → IEC 61850 substation automation, control and protection
- → Extension works for two existing stations

- → Delivery on time while meeting customers high quality demands
- → Space and cost savings through compact design and products



Makkah Central 380/110 kV GIS Station

Customer: Saudi Electricity Company (SEC) **Location:** Makkah, Saudi Arabia — 2015

The challenge

- → Turnkey supply, installation, testing and commissioning including civil works in the holy city close to the Kaaba
- → Space constrained site, multi-story building

Scope

- \rightarrow Grid station with 380/110 kV GIS switchgears, MV switchgear, 502.5 MVA power transformers, 380 kV bus shunt reactors
- → IEC 61850 substation automation, control and protection system, telecommunication, civil works, installation and commissioning

Benefits

- → Space and cost savings through compact design and products
- → Innovative multistory solution proposed and executed



Najibiyah 400/132 kV GIS Station

Customer: Ministry of Electricity **Location:** Najibiyah, Iraq — 2015

The challenge

→ Supply of 400/132 kV GIS, C&P, SAS, HV equipment including supervision of installation testing and commissioning

Scope

- → Engineered package delivery of 400 kV and 132 kV GIS, C&P, SAS and telecommunication equipment
- → Supervision of installation testing and commissioning of GIS, C&P, SAS and telecommunication equipment

Benefits

- \rightarrow Meeting the timely deliveries challenge in short time span
- → Space and cost savings through compact design



Diyala 400 kV Extension

Customer: ETP, Baghdad End user: Ministry of Electricity

Location: Baghdad, Iraq — 2011

The challenge

→ Extension of a 400 kV GIS substation with one additional diameter for 2 new OHL for 400 kV connections

Scope

- → Delivery of one diameter 400 kV GIS
- → One 50 MVAr/400 kV power reactor
- → Relay, control and communications
- → Electrical, mechanical and civil design and training
- → Remote supervision and security arrangements for transportation up to site

Renefits

→ A substation extension with the latest primary & secondary equipment technology that secures safe power transmission delivered in 14 months time



King Abdulah 380 kV GIS substation

Customer: Saudi Electricity Company (SEC) **Location:** Riyadh, Saudi Arabia — 2011

The challenge


→ Power supply for the King Abdullah Financial District in the city of Riyadh

Scope

- → Turnkey delivery of a 380/132/13.8 kV substation, design, supply, installation and commissioning
- → Transformers, medium-voltage switchgear, cables, civil works
- → IEC 61850 substation automation, control and protection system

Renefits

→ Reliable interconnection and high-quality power supply



Namerah North 380 kV GIS substations

Customer: Saudi Electricity Company (SEC) **Location:** Namerah, Saudi Arabia — 2010

The challenge

- → Power supply for the southwest Saudi Arabia
- → The new constructed power plant in Shuqaiq (south grid) will deliver it's power to the Shoiaba power plant (west grid)

Scope

- → Namerah main station: 380 kV/132 kV GIS, 550 kV hybrid switchgear, 80 MVA and 40 MVA shunt reactors, 502 MVA power transformers, substation automation, control and protection system, telecommunication and substation auxiliary systems
- → Shoiaba and Shuqaiq remote ends: for each, 550 kV hybrid switchgear, 80 MVA shunt reactor, disconnectors and outdoor HV equipment

Benefits

- → One competent partner until completion
- \rightarrow Increased reliability



Transmission grid expansion - Phase VII, 400 kV GIS substations

Customer: Qatar General Electricity and Water Corporation (Kahramaa)

Location: Qatar — 2009

The challenge

→ Large-scale grid expansion and fast development of the infrastructure

Scope

- \rightarrow 3 turnkey substations including civil works, 40 bays 400 kV GIS, 66 bays 220 kV GIS, 36 bays 132 kV GIS, 41 bays 66 kV GIS, 61 bays 11 kV AIS
- → 25 transformers rated 40 to 800 MVA
- → IEC 61850 substation automation, control and protection systems

- → Proficient project implementation across the entire value chain
- → Reduction of energy losses
- → Enhancement of grid reliability through introduction of 400 kV voltage level



Gulf Interconnection Phase I

Customer: Gulf Cooperation Council Interconnection Authority **Location:** Kuwait, Saudi Arabia, Bahrain and Qatar — 2009

The challenge

→ Fast-track turnkey substations for reliable grid interconnection between Kuwait, Saudi Arabia, Bahrain and Oatar for power exchange

Scope

- → Six turnkey 400 kV gas-insulated substations, 3 in KSA and each one in KW, BH, OA
- \rightarrow GIS type ELK 3-420 with 66 circuit breakers, each 3 power transformers 650/325/400 MVA, shunt reactors (13 x 125 MVAr, 2 x 300 MVAr being the largest in the world)

Benefits

→ Single point of responsibility ensuring very short delivery time with high-quality power supply substation across major Gulf countries



Quarayya 380 kV GIS substations

Customer: Saudi Electricity Company (SEC) **Location:** Quarayya, Saudi Arabia — 2008

The challenge

- → Power supply for the eastern province of Saudi Arabia
- → Interconnection to the GCC North Grid

Scope

- → Two turnkey 380 kV substations including 15 km 380 kV insulated GIS bus ducts
- → Modification of the remote end substations, substation automation, control and protection system, telecommunication, civil works and balance of plant

Benefits

- → Short delivery time
- → Increased availability and reliability
- → Smooth coordination with GCCIA and compliance to GCCIA grid code



Amara 400/132 kV Substation

Customer: PCO, US Government End user: Ministry of Electricity

Location: Baghdad, Iraq — 2008

The challenge

 \rightarrow New Greenfield 400/132 kV AIS substation to secure power supply in the southern region of Iraq

Scope

- → Turnkey supply of a new 400/132/11 kV AIS S/S
- ightarrow 2 diameter 400 kV and 12 bays 132 kV switchgear
- \rightarrow 2 x 50 MVAr, 400 kV shunt reactors
- → 2 x 250 MVA, 400 kV power transformers
- → R&C and telecommunication
- → Civil works, erection and commissioning
- → Training, remote supervision and security

Benefits

ightarrow A new substation with the latest primary & secondary equipment technology that secures safe power transmission



Erbil Stage 6 Package 18 KRG-MOE-ES06b-2011

Customer: Zagros End user: Ministry of Electricity

Location: Kurdistan, Iraq — 2014

The challenge

→ A package consisting of 4 new 132/33/11 kV GIS substations to secure power supply in Erbil City

Scope

- → Complete engineering and supply of equipment for all 4 GIS
- \rightarrow 40 bays 132 kV GIS switchgear, 120 x 33 kV and 132 x 11 kV panels
- → 12 x 63 MVA power transformers
- → Relay, control and telecommunications
- → Training of MoE for Operation and Maintenance, training of local Iraqi engineers for erection and commissioning
- → Supervision of GIS

Benefits

→ Supply of all substations with the latest primary & secondary equipment technology for completion of total project within 18 months



Amara Extension 400/132 kV Substation

Customer: ETP, Baghdad End user: Ministry of Electricity

Location: Baghdad, Iraq — 2013

The challenge

→ Extension of 400/132 kV AIS substation on turnkey basis to secure connection of new generation to the network in the southern region of Iraq

Scope

- → Turnkey supply of a new 400/132/11 kV AIS S/S
- → 6 diameter 400 kV and 24 bays 132 kV switchgear
- → 3 x 50 MVAr, 400 kV shunt reactors
- → 2 x 250 MVA, 400 kV power transformers
- → R&C and telecommunication
- → Civil works, erection and commissioning
- → Training, supervision and security

Benefits

→ A new substation with the latest primary & secondary equipment technology that secures safe power transmission



Al Rayyan village underground substations

Customer: Qatar General Electricity and Water Corporation (Kahramaa)

Location: Al Rayyan, Qatar — 2012

The challenge

→ Underground substations to help meet increased residential and commercial demand for power in Doha area as part of the Musheirab project

Scope

- ightarrow Supply of two 66/11 kV underground substations, including;
 - gas- and air-insulated switchgear, power transformers and cables
- → IEC 61850 substation automation, control and protection systems

- → Architectural substation design to blend in with surrounding landscape
- → Extremely compact footprint based on latest GIS technology
- → Highly reliable equipment offering operational safety and efficiency as well as low maintenance



Fujairah 400/132 kV GIS Station

Customer: Abu Dhabi Transmission & Despatch Company **Location:** Fujairah, United Arab Emirates — 2012

The challenge

- → Power supply for the Sudah port and the Al Hayl industrial areas of Fujairah
- → Turnkey supply, installation, testing and commissioning including civil works

Scope

- → 400/132 kV grid station with 400/132 kV GIS switchgears, 500 MVA power transformers, 50 MVAr reactors
- → IEC 61850 substation automation, control and protection system, telecommunication, civil works, Installation and commissioning

Benefits

- → Meeting the growing demand for electricity supply
- → Space and cost savings through compact design and products



Extension of 765/400/220 kV Raipur SS

Customer: Dharamjaigarh Transmission Limited **End user:** Power Grid Corporation of India Limited

Location: Raipur, India — 19.07.2024

The challenge

→ Feeding Reliable power to Load Centers

Scope

→ 400 kV - 4 AIS bays, 220 kV - 12 GIS bays

Benefits

→ The project facilitates stepping down power from 765/400 kV to provide direct feed of 220 kV to major load centers in state of Chhattisgarh



WBSETCL 220/132 GIS/AIS

 ${\bf Customer:} \ {\bf West} \ {\bf Bengal} \ {\bf State} \ {\bf Electricity} \ {\bf Transmission} \ {\bf Company} \ {\bf Limited} \\ {\bf Location:} \ {\bf West} \ {\bf Bengal}, \ {\bf India} \ {\bf -2023}$

The challenge

→ To cater to the load growth in these cities

Scope

→ Design, engineering, manufacturing, supply, installation & commissioning of 220/132 kV GIS/ AIS bays at Falakata, Indus, Berhampore & Domkol including augmentation of transformer capacity at Domkol

Benefits

→ Long term reliable power supply in the area



Dhalkebar, Nepal 400 kV GIS

Customer: Nepal Electriity Authority (NEA)

Location: Dhalkebar, Nepal— 2021

The challenge

→ First 400 kV substation at Nepal, designed & built by NEA with in-house consultancy

Scope

→ 15 bays of 400 kV GIS including 315 MVA transformers & 80 MVAr reactors

Benefits

- → Dhalkebar substation is an important milestone for Nepal's hydropower sector
- → The substation allowed the 400 kV Muzaffarpur (India) Dhalkebar (Nepal) line to come into operation on November 11, 2020, facilitating transmission of up to 1,000 megawatts of electricity through Nepal's first ever high-voltage cross-border transmission line
- → This major hub for power exchange between Nepal and India, will ease the process of importing power and help meet the increasing demand for electricity in Nepal, along the country's east-west axis



400/220/132 kV substation at Saharsa

Customer: Power Grid Corporation of India Ltd.

Location: Saharsa, India — 2021

The challenge

- → To meet the evolving grid requirements and improve power supply reliability, the interstate transmission network has been expanded covering three new 400 kV substations at Saharsa, Chandauti and Motihari
- → The power demand in the state of Bihar is steadily increasing in this agricultural dominant area

Scope

→ Design, engineering, manufacturing, supply, installation & commissioning of 400 kV, 220 kV and 132 kV substation equipment

Benefits

- → Creation of another asset and supporting Govt. of India's ambitious target
- → Leveraging capabilities to consistently generate maximum value for all stakeholders in India



Ajmer Phagi – 765 kV

Customer: Power Grid Corporation of India Ltd.

Location: Rajasthan, India — 2021

The challenge

→ India's Intended Nationally Determined Contribution (INDC) aims to base 40% of the total installed power generation capacity on non-fossil fuel resources by 2030 with international support on technology transfer and financing

Scope

→ The contract works includes complete design (Primary, Secondary, Civil) and construction on site (civil, erection, testing & commissioning). The substations are existing substations. 3 nos of 765 kV bays to be constructed in Ajmer (PG) substation and 1 no. of 765 kV bay to be constructed in Phagi (RRVPN) substation

- → Successfully delivering to customer requirement
- → Meeting high quality standards



Substation package, SS-22

Customer: Power Grid Corporation of India Ltd.

Location: Tamil Nadu, India — 2021

The challenge

→ Linxon has been involved to set up the Southern Region System Strengthening Scheme – XXV & Southern Region System Strengthening Scheme – XXVI for the southern part of India

Scope

→ Design, Supply and construction for Extension substation 1) 400 kV Hosur 2) 400 kV Dharampuri 3) 400 kV Madhugiri 4) 400 kV Hiriyur 5) 400 kV Pugalur (AIS) 6) 400 kV Pugalur HVDC 7) 400/220 kV Gazuwaka 8) 220 kV Cochin 9) 400 kV Kozikode

Renefits

- → Successfully delivering to customer requirement
- → Meeting high quality standards



Substation package, SS-27

Customer: Power Grid Corporation of India Ltd.

Location: Punjab/J&K, India — 2021

The challenge

→ (i) Extension of 220 kV Jallandhar S/S, (ii) Extension of 400/220 kV Amritsar S/S, (iii) Extension of 400 kV Moga S/S, (iv) Extension of 400/220 kV Kishenpur S/S, (v) Extension of 220 kV Abdullapur S/S and (vi) Extension of 220 kV Fatehabad S/S

Scope

→ Design, engineering, manufacture, testing at manufacturer's works, and supply of equipment & materials including transportation, In-transit insurance, delivery at site, unloading, handling, storage, erection, testing and commissioning and documentation of all the equipment

Benefits

- → Successfully delivering to customer requirement
- → Meeting high quality standards



Bhiwani substation and Bhadla substation, 765/400 kV

Customer: Power Grid Corporation of India Ltd.

Location: Rajasthan, India — 2021

The challenge

→ The Government of India has set a target of installing 175 GW of renewable energy capacity by the year 2022, which includes 100 GW from solar, 60 GW from wind, 10 GW from biopower and 5 GW from small hydro-power

Scope

- → Design, Supply and construction for Extension substation
 - 1) Bhadla 2 x 765 kV and 4 x 400 kV bays
 - 2) Bhiwani 2 x 765 kV and 1 x 400 kV bays

- → Successfully delivering to customer requirement
- → Meeting high quality standards



Champa - 765 kV

Customer: Power Grid Corporation of India Ltd.

Location: Champa, India — 2013

The challenge

- → Creating a pooling station of 6,000 MW capacity
- → Grid connectivity between North, West and Central India

Scope

- → Turnkey substation
- → 23 bays of 765 kV & 29 bays of 400 kV

Benefits

- → Successfully delivering to customer requirement
- → Meeting high quality standards



Agra - 765 kV

Customer: Power Grid Corporation of India Ltd.

Location: Agra, India — 2012

The challenge


- → Creating a pooling station of 4,000 MW capacity
- → Grid connectivity between North, Northeast and Central India

Scope

- → Turnkey substation
- \rightarrow 18 bays of 765 kV & 13 bays of 400 kV

Benefits

- → Well known solution with outstanding quality
- → Excellent reliability in-house and on-site engineering, installation and project management expertise



Srinagar – 400 kV

 $\textbf{Customer:} \ \ \textbf{Power Transmission Corp.} \ \ \textbf{Uttaranchal Ltd.}$

Location: Srinagar (Uttaranchal), India — 2011

The challenge

- → Hilly terrain
- → Remote site

Scope

- → Turnkey substation
- \rightarrow 11 bays of 400 kV & 10 bays of 220 kV

Benefits

→ Innovative engineering making use of terrain to construct substation in 17 different levels to minimise environmental impact



Navsari - 400 kV

Customer: Power Grid Corporation of India Ltd.

Location: Navsari, India — 2011

The challenge

- → Increased reliability
- → Space saving

Scope

- → Turnkey substation
- → 8 bays of 400 kV & 7 bays of 220 kV

Benefits

- → Compact substation ensuring 65% space saving compared to conventional substation
- → Maintenance free Gas Insulated Switchgear



Bilaspur - 765 kV

Customer: Power Grid Corporation of India Ltd.

Location: Bilaspur, India — 2011

The challenge

→ Evacuation of Independent Power Producer in Indian central region at 765 kV voltage level

Scope

- → Turnkey substation
- \rightarrow 18 bays of 765 kV & 6 bays of 400 kV

- → Meeting the growing demand for electricity supply
- → Delivered turnkey substation in less than 28 months



Renewable generation

Americas
Europe
Middle East & Africa
Asia Pacific



Vineyard Offshore 220/115 kV substation

Customer: Vineyard Wind

Location: Massachusetts, US — 2023

The challenge

- → Connect clean, renewable energy to the ISO New England power grid from the first utilityscale offshore wind project ever built in US
- → Congested site which required complex compensation studies and interconnection with ISO-NE grid

Scope

- → A turnkey 220/115-kilovolt (kV) substation, cable interconnection, transformers, reactors, synchronous condensers and harmonic filters
- → The substation will commence construction in 2021 and be fully commissioned by 2023

Benefits

- → Design plans to make the substation to blend in with its surroundings and use the highest environmental protection standards
- → Cost-competitive electricity for more than 400,000 homes, expected to reduce carbon emissions by more than 1.6 million tons per year
- → Local jobs for the next 25 years in both operations and maintenance



Maritime Link – AC substations for the Emera 500 MW HVDC Connection Project

Customer: Emera

Location: Newfoundland and Nova Scotia, Canada — 2018

The challenge

→ The link will enable clean, renewable energy, generated in Newfoundland and Labrador to be transmitted to the NAM grid in Nova Scotia reducing dependence on fossil fuels

Scope

- → Delivery of a full turnkey solution for the HVDC and AC substation technologies
- → The first bipolar HVDC configuration of its kind in the world using proven Voltage Source Converters (VSC) to enhance system reliability and reduce losses, as power continues to flow even if one conductor or converter is not in use

Benefits

- ightarrow The link made history on December 8, 2017, by conducting the first exchange of electricity
- → The stabilizing features of the total solution allows Nova Scotia to integrate additional renewables such as wind power and contribute to Canada's emission-reduction efforts
- → https://youtu.be/rQ20ZZ0zyql



Seagreen 1 (1075 MW) Offshore Wind Farm - substation package

Customer: Petrofac, SSE Renewables and Total **Location:** United Kingdom — (first energisation) 2022


The challenge

→ Delivery of a 220/400 kV turnkey onshore substation and supply, install and commission the HVAC equipment for the 66/220 kV offshore substation forming the backbone of the transmission system for the Seagreen offshore wind farm project

Scope

→ The design, supply and construction of all onshore civil works and the HVAC electrical system equipment at both the onshore Tealing substation site and within the offshore substation platform to be located 27 km from the Angus coast

- → Seagreen 1 is helping to kick start Scotland's green recovery from the coronavirus
- ightarrow Scotland's largest offshore wind farm, able to provide around 1 million homes with renewable electricity each year
- → Linxon has commenced site/construction works with offshore platform fabrication due to commence in late 2020



Storfinnforsen, 130 kV and 400 kV AIS

Customer: E.ON Energy Networks

Location: Sweden — (first energisation) 2020

The challenge

- → A turnkey upgrade for an electrical substation in northern Sweden
- \rightarrow An extension of the 130 kV and the 400 kV air insulated switchgears (AIS) substations as well as civil works
- → The site will be energized during the entire project to enable consumers to have reliable access to power, times for outages are limited
- → Erection works during winter period will be necessary

Scope

→ The existing 130 kV substation needs to be extended by one bay AIS 400 kV, three bays of AIS 130 kV and a new capacitor bank to stabilize the grid

Renefits

→ The substation will connect increased wind power from several surrounding wind parks into the grid of Storfinnforsen in northern Sweden



Rampion Offshore Windfarm

Customer: E.ON

Location: United Kingdom — (first energisation) 2017

The challenge

→ Delivery of the grid connection substation scope for the 400 MW Rampion offshore wind farm which included a turnkey onshore substation and 1 km access road and the supply, installation and commissioning of the HV balance of plant on the offshore platform

Scope

→ Substation works for a 400/150/33 kV electrical system which included 400/150 kV super-grid transformers, shunt reactors and Dynamic Reactive Compensation with Harmonic Filtration

Benefits

- → Delivery of full grid code compliance
- → Met the target first circuit energisation date to lock-in E.ON's subsidy allocation
- ightarrow The wind farm generates enough renewable electricity to power the equivalent of 350,000 UK homes



Pen-y-Cymoedd Onshore Windfarm

Customer: Vattenfall

Location: United Kingdom — (first energisation) 2017

The challenge

→ Delivery of a turnkey grid connection package for the largest onshore wind farm in England and Wales with challenging terrain and significant stakeholder management requirements

Scope

- → Turnkey 400/132 kV grid substation
- → Turnkey 132/33 kV Wind Farm substation including significant enabling works
- \rightarrow 132 kV cable connection to the grid substation across challenging terrain including a 100 m high escarpment

- → Delivery of full grid code compliance
- → Met the target first circuit energisation date
- → Strong contribution towards Vattenfall's local content commitments by utilising local project staff and supply chain



Shams 400 kV Substation

Customer: DEWA

Location: Dubai, United Arab Emirates — Ongoing (February – 2021)

The challenge

- → Integration of solar power into the Dubai electrical grid
- → Deliver reliable power to consumers and serve the building and infrastructure sector alongside utility and industry customers

Scope

- → Supply of 14 x 400 kV, 28 X 132 kV gas-insulated switchgear, 4 x 400/132 kV 500 MVA power transformers, 2 X 400 kV, 100 MVAr Shunt Reactor, 4 X 132 kV, 30 MVAr Shunt Reactor, protection, automation and control systems as well as surveillance and communication systems
- → IEC 61850

Benefits

- → State-of-the-art technologies that will boost capacity and bring clean solar power
- → Digitalization to support open and seamless communication with all intelligent devices



Banaskantha – 765 kV Sankhari – 400 kV

Customer: Power Grid Corporation of India Ltd.

Location: Banaskantha & Sankhari, Gujarat, India — 2024

The challenge

ightarrow To strengthen the power grid in the region meeting the high demands for electricity in a growing society

Scope

- → Extension of substations
- → 1 bay of 765 kV & 7 bays of 400 kV

Benefits

- → Transmission network expansion in Gujarat to increase its available transfer capacity
- → Delivering turnkey substation in less than 20 months



Mohammed Bin Rashid Solar Park Main & Extension - 400 kV Substation

Customer: DEWA

Location: Dubai, United Arab Emirates — 2017 (MBRSOLAR Main) & 2019 (MBRSOLAR Extn.)

The challenge

- → Integration of solar power into the Dubai electrical grid
- → Deliver reliable power to consumers and serve the building and infrastructure sector alongside utility and industry customers

Scope

- → Supply of 14 x 400 kV, 31 X 132 kV Gas-insulated switchgear, 4 x 400/132 kV 505 MVA Power Transformers, 4 x 30 MVAr 132 kV bus-reactor, Protection, Automation and control systems as well as surveillance and communication systems
- → IEC 61850

- → State-of-the-art technologies that will boost capacity and bring clean solar power
- → Digitalization to support open and seamless communication with all intelligent devices



CPSU - I & II, Air Insulated Substation (AIS)

Customer: Tata Power Solar System Limited

Location: Rajasthan, India — 2022

The challenge

→ Two new 400 kV substations to transport power from a 450 MW Solar power plant in the state of Rajasthan

Scope

→ The project consists of the delivery of two new 400/33 kV substations, each with six bays; in both cases the project will include the installation and commissioning of associated equipment

Benefits

→ Through delivery of this substation we will support Tata Power Solar in their goal to increase the transmission of renewable energy whilst also meeting Linxon's commitment to play our role in protecting the environment and reducing the world's carbon footprint



Obra Adani thermal transmission project

Customer: Obra Badaun Transmission Ltd. **Location:** Uttar Pradesh, India — 2020

The challenge

- → The overarching project "Obra-C Badaun Transmission Limited" has approximately 625 kilometers of transmission lines at voltage levels of 765 kV and 400 kV in the region
- → This project is primarily being constructed to transfer power from the Obra-C thermal power project

Scope

- → Design, engineering, manufacturing, testing and equipment delivery of a 400/220 kV/132 kV GIS substation, and in addition 30 bays of GIS 132 kV extensions to both sites
- → Commissioning including GIS and associated civil works, all on a turnkey basis

Benefits

→ India is strengthening the transmission network in the densely populated state of Uttar Pradesh in order to provide reliable power to more than 200 million people



Fatehgarh, Air Insulated Substation (AIS)

Customer: Power Grid Corporation of India Ltd.

Location: Rajasthan, India — 2020

The challenge

- → India is adding substantial renewable generation capacity to the country
- → Rajasthan with its huge solar potential is already witnessing development of various ultra mega solar power parks

Scope

- \rightarrow Design, engineering, manufacturing, testing and equipment delivery of AIS substations with cumulative 11 bays of 765 kV AIS & 10 bays of 400 kV
- → Commissioning including AIS and associated civil works, all on a turnkey basis

Benefits

→ This project is primarily being constructed to transfer power from potential solar energy zones thus helping the growth of renewable energy share in the Indian Grid



Khetri, Jhatikara & Sikar, Air Insulated Substation (AIS)

Customer: Powergrid Khetri Transmission System Limited

Location: Rajasthan, India — 2020

The challenge

- → India is adding substantial renewable generation capacity to the country
- → Rajasthan with its huge solar potential is already witnessing development of various ultra mega solar power parks

Scope

- → Design, engineering, manufacturing, testing and equipment delivery of AIS substations with cumulative 12 bays of 765 kV AIS & 10 bays of 400 kV at all the sites
- → The scope also covers commissioning including AIS and associated civil works, all on a turnkey basis

Benefits

→ This project is primarily being constructed to transfer power from potential solar energy zones thus helping the growth of renewable energy share in the Indian Grid



Kamuthi 220 & 110 kV

Customer: Adani Green Energy **Location:** Kamuthi, India — 2017


The challenge

- → Evacuation of the largest solar plant in India
- → Short completion time

Scope

- ightarrow Supply, installation, testing and commissioning excluding civil works
- → 220 kV & 110 kV bays

- → Meeting the timely deliveries challenge in short time span
- → Reliable evacuation



Transportation

Americas
Europe
Middle East & Africa
Asia Pacific



Great Western Electrification Plan

Customer: Network Rail Infrastructure Ltd.

Location: Southern England, United Kingdom — 2020

The challenge


→ In 2014, ABB Grid Integration (ABB EPC projects now delivered by Linxon) and UK Power Networks Services joined forces in a consortium to deliver a turnkey project for the creation of the new autotransformer feeder substations (25-0-25 kV) to deliver trackside power for Network Rail's Great Western Route Modernisation (GWRM) programme

Scope

→ Engineering/design, manufacture, installation and commissioning of 25 kV substations (switchgear, transformers & automation including IEC 61850 solution) along the 190 km route

Benefits

→ The project is a critical element in the electrification of the Great Western railway to make travel more reliable, greener and smoother for passengers, as well as quieter for people living near the railway



Tanzania Standard Gauge Railway (SGR), lots 3 and 4

Customer: Yapi Merkezi, Turkey **Location:** Tanzania, Africa — 2026

The challenge

→ Linxon has been commissioned by Yapi Merkezi, a Turkish-based EPC company, to deliver electrification package for lots 3 and 4 of Tanzania's Standard Gauge Railway (SGR) project

Scope

- → Linxon will deliver various 220/2x25 kV traction substations, 2x25 kV double auto transformers and 2x25 kV single auto transformers, as well as the substation control and protection system for these substations
- → Linxon will also carry out various design and simulation studies for the project

Benefits

→ Linxon in a single package offers complete power supply solution for lots 3 and 4 which is the backbone of the power infrastructure for these lots



North South Commuter Rail, Philippines

Customer: Hitachi Rail (End Customer – Department of Transportation, Philippines)

Location: Manila, Philippines — 2027

The challenge

→ Turnkey Traction Power Supply (Overhead Catenary at 1500 V DC) & Power Distribution System for Phase I of North South Commuter Rail (35.4 kms from Solis to Malolos) located in densely populated city of Manila

Scope

- → Engineering, project management, supply, erection, testing and commissioning for the complete power supply & distribution scope
- → Traction substations, Auxiliary substations, a 1500 V DC Overhead Catenary system and a supervisory control & data acquisition system for the electric traction power

- ightarrow Improved connectivity within City of Manila and integrate into the regional rail network
- \rightarrow Reduced carbon footprint and greenhouse gas emissions over the years



Chennai Metro mass urban transit system

Customer: Chennai Metro Rail Limited (CMRL)

Location: Chennai, India — 2026

The challenge

→ Metro rail has one of the lowest carbon emission rates among mass transport systems. The need to cut congestion on roads, reduce journey times and provide meaningful sustainable solutions has seen a focus on moving people, not vehicles. Access to mass public transport is key to improving city livability throughout the Indian state of Tamil Nadu

Scope

- → Design, manufacturing, supply, installation, testing and training, and commissioning of the power supply system for Phase 2 Corridor 3 (from Sholinganallur to Sipcot 2) & corridor 5 (from CMBT to Sholinganallur)
- → The project scope includes traction substations and auxiliary main substations, along with wayside substations and power cables, overhead catenary systems and a supervisory control and data acquisition system

Benefits

→ This contract is part of Phase 2, which will significantly increase ridership and reduce congestion, particularly around Chennai's expanding IT hub



BMRCL urban mass transit system

Customer: The Bangalore Metro Rail Corporation (BMRCL)

Location: Bangalore, India — 2022 - 2024

The challenge

→ Supply of the complete power supply package (including third rail) for the new lines of the Phase II corridor Urban Mass Rapid Transit System in the city of Bangalore, India

Scope

- \Rightarrow Engineering, project management, supply, erection, testing and commissioning for the complete power supply scope
- → Traction substations, auxiliary substations (along with power cables), a 750 V DC third rail system and a supervisory control and data acquisition system for the complete electric traction power
- → Maintenance planning system installed at BMRCL's operation control centre and integrated with the supervisory control and data acquisition system

- → Improved efficiency of power supply by almost + 10% compared with competitors
- ightarrow Reduced carbon footprint and greenhouse gas emissions by around 17 million metric tons over a lifetime period of 25 years



Kochi Metro urban mass transit system

Customer: Kochi Metro Rail Limited (KMRL) **Location:** Kochi, India — 2022 and 2023

The challenge

- → Working on operating lines for extension for existing power supply network for new stations
- → Integration of existing system by third party and new system supplied by Linxon

Scope

- → Design, engineering, project management, supply, erection, testing and commissioning of complete power supply scope for the extension
- → Traction substations and auxiliary substations
- → Power rings for the new systems
- \rightarrow A 750 V DC third rail system, basically a conductor rail providing electric traction power to railway trains and is placed outside of running rails

Benefits

→ Single supplier which takes overall responsibility of complete traction power supply system for extension package



Kolkata Mass Rapid Transit System (MRTS)

Customer: Rail Vikas Nigam Ltd. (RVNL) **Location:** Kolkata, India — 2022

The challenge

→ For an old metropolis like Kolkata with lingering issues of over population, congestion as well as environmental pollution, ideal transportation solution is MRTS along with supplementary feeder bus service and adequate first and last mile connectivity

Scope

→ Linxon turnkey scope involves project management, engineering, supply, erection, testing and commissioning of complete power supply scope for the two corridors. The project consists 13 traction substations and auxiliary substations and a 750 V third rail system, basically a conductor rail providing electric traction power to railway trains and is placed outside of running rails

Benefits

→ Once operational, the system will nourish this public-transport oriented transit feature of the city and will cater the expectation and demand of the people by providing fast, reliable, safe and modern mass transportation mode



Pink and Yellow monorail network

Customer: MRTA of Thailand **Location:** Bangkok, Thailand — 2021

The challenge

- \rightarrow Two monorail projects in Bangkok which transport millions of city commuters in the Greater Bangkok area
- ightarrow Reducing air pollution and easing traffic congestion

Scope

- \rightarrow Bulk substation, traction and service substations and critical equipment
- ightarrow Complete turnkey solution which includes engineering, supply, installation testing and commissioning
- → 115 kV AC/22 kV AC/750 kV DC

- → The substation package will help power both monorail projects, thus bringing respite to millions of commuters in Bangkok, easing traffic congestion and reducing pollution
- → Encourages a shift from road transport to more sustainable urban rail commuting



Bangalore Metro Phase I, India

Customer: Bangalore Metro Rail Corp. **Location:** Bangalore, India — 2017

The challenge

→ Turnkey power supply for the first phase of the modern Bangalore Metro, comprising two corridors – the East-West corridor of 17.9 km length with 17 stations and the 20.8 km long North-South corridor with 21 stations

Scope

- ightarrow Design, supply, installation and commissioning of four distribution substations rated at 66/33 kV
- → 38 auxiliary and 27 traction substations
- ightarrow Transformers, switchgear, capacitors, relays and the associated cables
- → SCADA (Supervisory Control And Data Acquisition) system

Renefits

→ Efficient and seamless management of various parameters of the power network, high system reliability and space saving design with compact gas-insulated and air-insulated switchgear



Delhi Metro Rail Corp, phase 1 and 2

Customer: Delhi Metro Rail Corp **Location:** Delhi, India — 2013

The challenge


→ Reliable partner for the electrification of metro line 1, 3, 4, 5 and 6 (phase I and phase II of DMRC)

Scope

- → Turnkey delivery of the complete electrification system, comprising design, supply, installation, testing and commissioning
- → 370 track km of 25 kV overhead contact line and related 25 kV switching posts
- ightarrow Three traction substations feeding the lines with one AC 25 kV and 150 auxiliary substations for the railway infrastructure
- → SCADA system including asset and building management systems

Benefits

→ Reliable system completed ahead of schedule



Data centers

Americas
Europe
Middle East & Africa
Asia Pacific



Greenfield substations for Susquehanna Data Center

Customer: Talen Energy

 $\textbf{Location:} \ \textbf{Pennsylvania, US} - \textbf{2023 (first energization)}$

The challenge

→ To power a 400,00 square foot data center by delivering three critically fast-tracked substations to Talen Energy's flagship Cumulus data center campus project

Scope

→ Deliver a series of turnkey substations that will safely, and reliability connect the newly proposed data center to the PJM grid. Entire scope includes one 500 kV GIS substation, one 230 kV GIS substation, and one 69/34.5 kV AIS substations

Benefits

→ To deliver clean, safe, reliable power generated from the Susquehanna nuclear power plant to energize a newly developed data center for some of the largest companies in the tech industry. This project will create local jobs and support the local community



Battery Energy Storage Systems

(BESS)

Americas

Europe

Middle East & Africa

Asia Pacific



ERCOT - sites of 10 MW/20 MWh BESS

Customer: Available Power

Location: Texas, US — 2025 (first energization)

The challenge

- → Multiple sites across south-east Texas
- → Complex interconnection process requiring flexibility across the process

Scope

- → A portfolio of 20 distributed BESS projects in Texas
- → To be connected to 12 kV network of AEP
- → Standardized design with a 10 MW/20 MWh BESS

Benefits

- ightarrow Fix CAPEX for combined total cost of the project including development, construction and final installation
- → O&M Service level agreements, performance guarantees



Greenport - 100 MW/200 MWh BESS

Customer: Available Power

Location: Texas, US - 2025 (first energization)

The challenge


→ Balancing costs, technology selection and schedule, to deliver an optimal site at the optimal price for the end user and investor, respectively

Scope

→ EPC turnkey for 100 MW/200 MWh BESS facility, along with necessary support on interconnection, financing and other aspects beyond typical EPC scope

Benefits

- ightarrow Support and service delivery adjusted to client's particular needs and gaps
- ightarrow Tailoring of project proposal as needed, based on market and end user's needs



Long Draw - North-West Texas 150 MW/300 MWh BESS

Customer: Aypa Power

Location: Texas, US — 2025 (first energization)

The challenge

- → Delivery of long lead item: committed 12-13 months (5-6 months improvement over standard delivery time at that moment)
- → Quick adoption in the design amidst changes in technology of choice after 60% design completed and still meet schedule

Scope

- → Balance of Plant, including system study, design, civil works, installation, testing & commissioning
- → 115 kV High voltage substation for POI (point of Interconnection)

Benefits

→ Project scope and design adjusted based on changing client needs

rety ton



